

Printing date 20.06.2016 Version number 13 Revision: 20.06.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: RobustTM Innfesting Rask
- · Article number: SDB-Nr.: 20018
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture factory dry mortar of mineral bonding agents to mix with water
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Steinhardt AS

Postboks 8627 Ranheim

7052 Trondheim

Norway

· Further information obtainable from:

Steinhardt AS

Postboks 8627 Ranheim

7052 Trondheim

Norway

+47 72607060. www.robustnorge.no

• 1.4 Emergency telephone number: (+47) 22591300

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



Skin Irrit. 2 H315 Causes skin irritation.

STOT SE 3 H335 May cause respiratory irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms





GHS05

GHS07

- · Signal word Danger
- · Hazard-determining components of labelling:

Cement, portland, chemicals

calcium dihydroxide

· Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

(Contd. on page 2)



Printing date 20.06.2016 Version number 13 Revision: 20.06.2016

Trade name: RobustTM Innfesting - Rask

(Contd. of page 1)

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.
 P312 Call a POISON CENTER/doctor if you feel unwell.

P321 Specific treatment (see on this label).

P332+P313 If skin irritation occurs: Get medical advice/attention.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· 2.3 Other hazards

Dust from the dry mix may cause respiratory irritation.

Repeated inhalation of relatively large amounts of dust increases the risk of lung disorders.

A highly alkaline solution is produced as soon as the dry preparation comes into contact with water or becomes moist. Due to its high alkalinity, moist mortar can cause irritation to the skin and eyes. Particularly if the mortar is contact with the skin over a longer period (e.g. when kneeling in moist mortar), this alkalinity can cause serious damage to the skin.

The mixture is low-chromate, thus there is no risk of sensitization from chromate. In the form finished ready for use after adding water, the content of soluble chrome IV is maximum 0.0002% of the dry mass of the cement contained. Requirement for the effectiveness of the chromate reduction is the correct dry storage and adherence of the maximum storage time.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description: Mixture: consisting of the following components.

	· Dangerous components:		
Ī			25-50%
	EINECS: 266-043-4	🧇 Eye Dam. 1, H318; 🗘 Skin Irrit. 2, H315; STOT SE 3, H335	
Ī		calcium dihydroxide	≤ 2.5%
	EINECS: 215-137-3	📀 Eye Dam. 1, H318; 🗘 Skin Irrit. 2, H315; STOT SE 3, H335	

[·] Additional information: The full wording of the H statements can be found in Section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation: Ensure a plentiful supply of fresh air. Consult a doctor if there is any discomfort.
- · After skin contact:

In case of contact with skin wash off with soap and water. Consult a doctor if skin irritation persists.

- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

(Contd. on page 3)



Printing date 20.06.2016 Version number 13 Revision: 20.06.2016

Trade name: RobustTM Innfesting - Rask

(Contd. of page 2)

- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Product does not burn, fire-extinguishing activitys according to surrounding.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Avoid formation of dust.

To avoid skin and eye contact.

Ensure adequate ventilation

Do not breathe dust

· 6.2 Environmental precautions:

Do not allow the product to enter the sewer system, surface water or groundwater (raises the pH-value).

- 6.3 Methods and material for containment and cleaning up: Pick up mechanically.
- · 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Prevent formation of dust.

To avoid skin and eyes contact.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Keep container tightly closed.

Store in dry conditions. Prevent the admittance of water and moisture.

- · Information about storage in one common storage facility: Do not store together with acids.
- · Further information about storage conditions:

Always observe the manufacturer's instructions regarding storage conditions and shelf-life. If stored incorrectly (e.g. in moist conditions) or used after the expiration date, any chromate-reducing components present may loose their effectiveness, in which case sensitisation cannot be ruled out if the material comes into contact with the skin.

- · Storage class: VCI storage class: 13 · non-combustible solids.
- · 7.3 Specific end use(s) No further relevant information available.

GB



Printing date 20.06.2016 Version number 13 Revision: 20.06.2016

Trade name: RobustTM Innfesting - Rask

(Contd. of page 3)

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

65997-15-1 Cement, portland, chemicals (25-50%)

WEL Long-term value: 10* 4** mg/m³
*inhalable dust **respirable dust

1305-62-0 calcium dihydroxide ($\leq 2.5\%$)

WEL Long-term value: 5 mg/m³

· Additional information:

General dust threshold value 1,25 (A) mg/m3. The exposure threshold values are taken from the version of the TRGS 900 regulations that was valid at the time of compilation of this document.

- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Do not inhale dust / smoke / mist.

Avoid contact with the eyes and skin.

Do not eat, drink, smoke or sniff while working.

Be sure to clean skin thoroughly after work and before breaks.

Use skin protection cream for skin protection.

· Respiratory protection:

If the exposure threshold values are exceeded (which could happen when mixing, for example), wear an FFP1 (white) particle-filtering half-mask.

· Protection of hands:

Wear waterproof protective gloves that are wear-resistant and alkali-resistant and bear the CE mark.

_

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

If dust is generated or if there is a danger of spray or splatter, wear tightly fitting protective goggles in accordance with EN 166.

· Body protection:

Protective work clothing

-

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Like powder
Colour: Grey
Odour: Odourless

· Change in condition

Melting point/Melting range: not applicable Boiling point/Boiling range: not applicable

(Contd. on page 5)



Printing date 20.06.2016 Version number 13 Revision: 20.06.2016

Trade name: RobustTM Innfesting - Rask

	(Contd. of page 4)
· Flash point:	Not applicable.
· Self-igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Density:	Not determined.
· Solubility in / Miscibility with water:	Slightly soluble.
· Viscosity: Dynamic: Kinematic:	Not applicable. Not applicable.
Organic solvents: Water:	0.0 % 0.0 %
Solids content:	100.0 %
· 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.4 Conditions to avoid Avoid water infiltration and moisture during storage.
- · 10.5 Incompatible materials: To avoid contact with acids.
- · 10.6 Hazardous decomposition products:

No dangerous decomposition products known at correct handling and storage.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- · Skin corrosion/irritation

Causes skin irritation.

· Serious eye damage/irritation

Causes serious eye damage.

· Respiratory or skin sensitisation

As long as the use-by date is not exceeded a sensisting effect is not to be expectet.

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure

May cause respiratory irritation.

- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.

(Contd. on page 6)



Printing date 20.06.2016 Version number 13 Revision: 20.06.2016

Trade name: RobustTM Innfesting - Rask

(Contd. of page 5)

- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Disposal according to official regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Remove in accordance with local offical regulations.

Material mixed with water and let harden.

· European waste catalogue

17 01 01 concrete

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

Marpol and the IBC Code Transport/Additional information:	Not applicable.
14.7 Transport in bulk according to Ani	
14.6 Special precautions for user	Not applicable.
14.5 Environmental hazards:	Not applicable.
14.4 Packing group ADR, IMDG, IATA	Void
ADR, ADN, IMDG, IATA Class	Void
14.3 Transport hazard class(es)	
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void
14.1 UN-Number ADR, ADN, IMDG, IATA	Void



Printing date 20.06.2016 Version number 13 Revision: 20.06.2016

Trade name: RobustTM Innfesting - Rask

(Contd. of page 6)

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · National regulations:

The product is subject to be labeled according with the prevailing version of the regulations on hazardous substances.

- · Other regulations, limitations and prohibitive regulations
- --
- -
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

- · Department issuing SDS: Abteilung F&E
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

 $STOT\ SE\ 3:\ Specific\ target\ organ\ toxicity\ -\ Single\ exposure,\ Hazard\ Category\ 3$

GB